

Annick Lafontaine

De: Greffe Ville de Saint-Pie
Objet: TR: Documentation Ravo - Cubex
Pièces jointes: 5 - Brochure Ravo Final_Tier4 RAV664941295708_5_iSeries_ENG_brochure_US_Letter_....pdf

Objet : Documentation Ravo - Cubex

Bonjour Robert, voici la documentation de notre balais Ravo. Le balais le plus vendu au Québec lors de 10 dernières années avec près de 200 unités livré.

Comme discuté actuellement j'ai 2 usagé et du neuf de disponible.

Premier usagé : 2019
Heure moteur : 2345
Heure de balais : 550
Kilométrage : 24 701Km
Prix : 195 000\$

Deuxième usagé : 2016
Heure moteur : 8 610
Heure de balais 3 750
Kilométrage : 73 192km
Prix : 80 000\$

J'ai également du 2024 neuf de dispo.
Prix : approx 305 000\$

Pour le usagé impossible de dire si j'en aurai encore l'an prochain.

Pour le neuf aucun problème. Pour une livraison au printemps par contre faudrait avoir l'appel d'offre lancé a l'automne cette année. Sinon livraison au cours de l'été sans problème.

N'hésite pas si tu veux une démo ca va me faire plaisir d'aller vous montrer le Ravo.

Stephane Poirier
Représentant des ventes
Cell : (514)-770-3675
850 Rue Boucher,
Saint-Jean-sur-Richelieu, Qc
J3B 7Z8



Suivre Cubex sur les médias sociaux



RAVO
FAYAT GROUP

RAVO 5 iSeries



50 YEARS OF EXPERIENCE PASSIONATE ABOUT SWEEPING

Over 55 years ago we invented the pure vacuum compact sweeper, ever since over 18,000 RAVO sweepers have been sold to customers all over the world. These customers include cities like Rome, Barcelona, San Francisco, San Diego, Jersey City, Portland, Dubai, Montreal, Washington DC, Bordeaux, Berlin and Amsterdam to name a few. All these cities have chosen, and keep on choosing RAVO because of our commitment to build the greatest sweeper in the world.

Whether it is about the possible uptime of over 95% or the potential 42% fuel savings compared to a truck mounted sweeper, we deliver on all levels. And that attitude has made the RAVO 5 iSeries sweeper into what it is today: World's most sold sweeper.

RAVO goes back a long way in North America. It was in 1983 that the first RAVO was sold to a municipality of Hilton NY, many machines followed soon after. Since 2009 RAVO has become part of the family owned FAYAT Group and we have set our focus on North America once more.

In North America we have established a growing network of well recognized distributors and have established an after sales office whose technicians are there to assist you and give you all the backup you need so you can focus on what you are good at: keeping your roads clean.



DESIGNED TO PERFORM THE RAVO 5 iSERIES



SETTING NEW STANDARDS

Equipped with a Cummins Tier 4 final engine, an attractive cabin interior design and a state of the art intelligent sweeper monitoring system the 5 iSeries sets the benchmark in sweeping.

The unmatched performance is the result of a pure vacuum suction line combined with RAVO's unique broom system.

Spring or Autumn, sand with pine needles or leaves, main streets or bicycle lanes, smooth tarmac or cobblestones, the 5 iSeries will clean every street in one pass. Storing all debris in its spacious 6.5 cubic yard stainless steel hopper with an unrivalled compaction rate.

Every RAVO is standard equipped with:

- An ergonomically designed cabin with adjustable steering column, dashboard and arm rest

- Rear view and suction mouth camera
- Air conditioning
- Air ride operator seat
- Stainless steel hopper with a volume up to 6.5 cu yd.
- Loading capacity of 12,125 lbs.
- Extreme manoeuvrability with a turning circle of only 199 inch. (curb to curb)
- RAVO's unique pulled broom system
 - Constant brush pressure extends the broom life with 50%
 - Maintenance friendly: no greasing points.
- One engine powers all: fuel savings up to 42%
- Hydraulic front suspension with automatic levelling system
- Linde hydraulics
- Heavy duty package
- Only 15 greasing points on the whole machine
- Sweeping in reverse mode.




THE NEW ISYSTEM: INTELLIGENCE MEETS CONVENIENCE

At RAVO we continuously improve and develop our products. The RAVO intelligent electronic monitoring system, which we named the iSystem, is an excellent example of our innovation power. It has been specially developed to be in full control of your sweeper.


This robust control system has been tested exhaustively to meet the highest RAVO standards. The use of nodes guarantees stability and the built-in LCD screen enables you to check the electrical & hydraulic system.

This system will ease maintenance of your machine by informing you the status of the functionalities of your sweeper

At one glance you can view all functions of the sweeper. Via the various available screens you can for example keep track of your sweeping and engine hours, service intervals or check your hydraulic system, lights, gauges, various pressure and voltage levels, etc.



Sweeping mode



Diagnostic mode



Info mode



Parameter mode



THE CABIN ATTRACTIVE & COMFORTABLE

The cabin has been designed with the input of experienced international RAVO operators. When entering the cabin with a floor height of only 31 inches, you will notice the ample interior space. Once seated in the air ride operator's seat the logical layout of the dashboard will amaze you. Add to that the fully adjustable armrest and steering wheel, the slightly tilted panoramic windscreen for ultimate visibility and you will agree that new standards have been set. These standards include:

- iSystem
- Sound isolation
- Panoramic view
- Adjustable steering column, dashboard and arm rest
- Rear view and suction mouth camera
- Air-conditioning
- 12V plug
- Radio with MP3 and USB
- 2 Cup holders.
- Lockable storage space
- Hatch to see inside the hopper



EASE OF MAINTENANCE

To ensure proper maintenance of the machine in a smart way the RAVO 5 iSeries comes with the following features:

- RAVO's unique maintenance friendly brush system
- Fan cleaner
- Two big service doors for easy access
- Easy changeable brushes
- Liftable grid inside the hopper
- High pressure water pump.





A VERSATILE PERFORMER

For those who need specific requirements RAVO offers a range of options to customize your RAVO 5 iSeries. Below are some examples of the available options.

Container dump

This option allows you to dump your debris directly into a container and has a dumping height of 5 ft. 5in

Third broom/Weed cutter

The third broom increases the sweeping range of the RAVO 5 iSeries. This option enables drivers to clean pavements and road gutters more efficiently. When used in combination with the weed cutter broom, it is extremely suitable for the environmental friendly removal of weeds. This option can be equipped with a 'quick release' feature, which allows quick removal or installation of the third broom.

SAIGA PM 2.5 dust filter

The innovative and patented SAIGA dust filter has been TÜV PM 2.5 certified. This means that the RAVO sweeper will filter all fine dust out of the outgoing air and in that way cleans the air wherever you sweep.

High pressure water pump

The high-pressure water pump feature is perfect for quickly cleaning the inside of the container, broom and suction system or street furniture.

Broom angle adjustment

With the broom angle adjustment you can position the brooms into the optimal angle to sweep gutters, which makes sweeping more efficient.

Independent broom lifting

The independent broom lifting enables you to reduce broom wear and achieve a longer lifetime of the brooms.

Swasher installation

Sweep and spray roads and pavements in just one go. The pressurized swasher allows sweeping crews to clean the most difficult reachable places, street furniture and traffic signs. Various configurations in terms of water pressure, water tanks and pumps are available.

Water recycling

This option doubles your action radius and reduces dust emission at the same time.

Wander hose

The wander hose is perfect for sucking up leaves and for emptying gutters and waste bins.

Silent package

The silent package reduces the noise level of the RAVO 5 iSeries by 15%. The package includes special software, sound absorbing materials and special silent brooms.





RAVO 5 iSeries: MADE IN HOLLAND WITH AN AMERICAN TOUCH

Being Europe's number one producer of street sweeping machines and having 55 years of experience makes RAVO a true specialist in the sweeping branch. We have the know-how and skills to meet your wishes. The RAVO 5 iSeries is built according to Dutch standards; high quality, robustness, superior technology and innovative design. But wherever possible we like to use American made parts like Parker hydraulics, Cummins engines, etc.



RAVO: YOUR PREFERRED PARTNER

We realise that it is important to be close to you and have therefore established a US branche in South Carolina. Together with our certified and dedicated dealer network we help you exceed your expectations and overcome all challenges.

We know that your equipment must work 24/7. To proof our trust in the quality of our product we offer a standard warranty of two years or 2000 hours on every sweeper that leaves our factory. On top of that we offer a 5 year warranty on the container and chassis.



RAVO GENUINE PARTS, DESIGNED TO FIT!



At RAVO we understand the importance of uptime. Therefore all our North American distributors carry a large stock of RAVO genuine parts. The right part is just a phone call away.

Genuine RAVO parts are produced according to the highest standards of quality, durability and performance that is why they are such a good match for your RAVO sweeper

To assure you always have the right parts available for scheduled service we have composed various service and parts kits, it's that easy!

Using RAVO Genuine Parts means:

- Receiving 12 Months warranty on parts
- Meeting the OEM specifications
- Increase the lifetime of your RAVO sweeper
- Always the right fit
- Cost savings over the long run.

For more information you can contact your local dealer who has RAVO trained parts specialists with the right knowledge and experience to assist you. They can further inform you about the possibilities of full service contracts and other service and maintenance options.

RAVO ACADEMY

Training & education is highly valued by RAVO. Whether it is training of our employees and dealers or your operators and engineers. We have different training programs which are available at our own training facility. This is the RAVO Academy.

The RAVO academy enables our dealers and their customers to use and maintain the RAVO sweepers in the most efficient way. This high quality training facility at the RAVO factory in Alkmaar provides trainings on different skill levels.

Our professional RAVO trainers also offer training on location, either at the dealer or at the customer.

Contact your local dealer for more information regarding the training possibilities.



RAVO 5 iSeries TECHNICAL SPECIFICATIONS

Dimensions, Weight, Capacities	
Length	178 inch
Width incl mirrors	89 inch
Sweeping width	95 inch
Max. sweeping width incl. third brush	134 inch
Wheelbase	71.5 inch
Turning radius curb to curb	199 inch
Gradeability [%]	Up to 30%
Gross vehicle weight	25,132 lbs
Capacity fuel tank	28 gal
Capacity water tank	160 gal
Suction system	
Capacity blower	14,000 CFM
Suction nozzle dimensions l x w	4.7 x 24.8 inch
Suction nozzle material	Corten steel (optional linatex lining available)
Suction tube diameter	8.9 inch
Suction tube material	Stainless Steel (optional linatex lining available)
Broom system	
Type	RAVO maintenance free pulling brush system
Available broom diameter	35 inch
Broom rotation speed	0 - 210 rpm
Well-being	
Noise emission LWA	79 dBA at 50 feet distance
Dust filtration	EUnited PM10 Certified*
Brakes & Electricity	
Front brakes	Hydraulically operated disk brakes
Rear brakes	Hydrostatic hydraulically actuated servo drum brakes
Front suspension	Independent hydro-pneumatic suspension
Rear suspension	Rubber cone springs
Battery	2 x 12 / 72
Alternator	90 amperes
Voltage (V)	24, with running engine 28
Maintenance	
Container Material	Stainless Steel inside / ABS cover outside
Total amount of greasing points in sweeper	15
Warranty	2 years or 2000 engine hours whichever comes first
Optional Equipment	
Wander hose	8 inch diameter
Third broom/Weed cutter	Mounted in front: 30 inch diameter
Silent package Lwa	65 dBA at 50 feet distance
High pressure water pump	4 gal per min. @ 2,175 PSI
Camera	Side view
Extra water capacity	Up to 400 Gallon
Dust filtration	PM 2.5
Water recycling	Limits the use of fresh water by half
Engine & Drive system	
Engine type	Emission level Tier 4 final Cummins QSF3.8 Diesel 4 Cyl.
Displacement	3.8 L
Maximum torque	360 lb.ft @ 1600 rpm
Maximum power	138 hp @ 2300 rpm
RAVO drive type and drive line system	Linde / Hydrostatic Continuously Variable

*Special package

RAVO 5 iSeries TECHNICAL SPECIFICATIONS

Tipping




Gross volume 6.5	6.5 cu yd
Net volume 5.6	5.6 cu yd
Height	106 inch
Dumping height	3.3 ft
Total empty weight (curb weight)	13,110 lbs
Payload	12,125 lbs

Container dump



Gross volume	5 cu yd.
Net volume	4.3 cu yd
Height	98 inch
Dumping height	5.3 ft
Total empty weight (curb weight)	13,580 lbs
Payload	11,570 lbs

RAVO'S PURE VACUUM CLEANER PRINCIPLE SINCE 1964



Every effort has been made to ensure that the information in this brochure is accurate. RAVO B.V. is not responsible for printing or clerical errors.



RAVO LLC
125 Blue Granite Pkwy, Ridgeway SC
29130, USA
T: 262 725 4210
E: sales@ravo.fayat.com

RAVO BV
Otterkoog 1, 1822 BW Alkmaar
The Netherlands

www.ravo.fayat.com



Dealer Stamp